Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	913	717/174-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 10:15
L2	12	717/168-178.ccls. and ((filter$3 OR mask$3 OR remov$3 OR delet$3) with (propert$3 OR parameter) with stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:10
L3	163	717/168-178.ccls. and (configuration with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:20
L4	117	3 and installation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:20
L5	1	717/168-178.ccls. and ((configuration with parameters) same (without with (stor$3 OR sav$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:32
L15	0	"method to provide password security"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:51
L16	129	(without with storing with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:52
L17	1	(without with storing with password)	IBM_TDB	OR	ON	2005/02/14 13:52
S1	418	(install$5 with (program OR software)) and (install$5 same variable same values)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:38
S2	46	S1 and (un$1install$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:10

S3	17	("5428782" | "5920867" | "5966540" | "6006035" | "6144960").PN. OR ("6269480"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 11:17
S4	21	un$1install$5 and fileset and registry and install$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:18
S5	27	("5577244" | "5724503" | "5835911" | "5860004" | "5867713" | "5867714" | "5881236" | "5920868" | "5930513" | "5987247" | "6018747" | "6023586" | "6051032" | "6093215" | "6117187" | "6131192" | "6161218" | "6167567" | "6202207" | "6205527" | "6205579" | "6269480").PN. OR ("6347397").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 11:21
S6	4273	(install$5 with (properties OR actions OR characteristics)) same (log$4 OR record$3 OR sav$3 OR stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:54
S7	2588	(install$5 with (properties OR actions OR characteristics)) with (log$4 OR record$3 OR sav$3 OR stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S8	133	S7 and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S9	54	S8 and un$1install$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S10	7	("5737557" | "5953532" | "6100887" | "6182285" | "6205432" | "6297819").PN. OR ("6360365"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 13:10
S11	2	("5930514" | "6301586").PN. OR ("6687902").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 14:33
S12	735	(installation adj (properties OR settings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:34

S13	54	S12 and (registry OR database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:34
S14	7	S13 and un$1install$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:46
S15	6	US-626948B1-$.DID. OR US-5715463-$.DID. OR US-627267B1-$.DID. OR US-5966540-$.DID. OR US-630170B1-$.DID. OR US-6006035-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50
S16	6	US-626948-$.DID. OR US-5715463-$.DID. OR US-627267-$.DID. OR US-5966540-$.DID. OR US-630170-$.DID. OR US-6006035-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50
S17	12	US-6269480-$.DID. OR US-5715463-$.DID. OR US-6272677-$.DID. OR US-5966540-$.DID. OR US-6301708-$.DID. OR US-6006035-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50
S18	19	("5247683" | "5684996" | "5805897" | "5812472" | "5862325" | "5875247" | "5881236" | "5930513" | "5966540" | "6016400" | "6023586" | "6044373" | "6047129" | "6131192" | "6151708" | "6167567" | "6205527").PN. OR ("6301708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 14:51
S19	19	("5247683" | "5684996" | "5805897" | "5812472" | "5862325" | "5875247" | "5881236" | "5930513" | "5966540" | "6016400" | "6023586" | "6044373" | "6047129" | "6131192" | "6151708" | "6167567" | "6205527").PN. OR ("6301708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 15:59
S20	876	717/174-178.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:00
S21	243	S20 and (registry OR database) same (settings OR options OR parameters OR propert$3 OR characteristics)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:00

S22	876	717/174-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:00
S23	243	S20 and (registry OR database) same (settings OR options OR parameters OR propert$3 OR characteristics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:01
S24	13	S23 and curtis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:01
S25	230	S23 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:02
S26	59	S25 and un$1install$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:00
S27	3	("6457076" | "6151643").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:01
S28	28	(cross$1platform OR (cross adj platform)) near2 install$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:03
S29	25	S28 and curtis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:05
S30	21	serializ$5 and hash$6 and (installation with (properties OR settings OR characteristics OR options OR parameters)) and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S31	0	installshield.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32

S32	0	installshield.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S33	0	install$1shield.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S34	51	install.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S35	19	("5247683" | "5684996" | "5805897" | "5812472" | "5862325" | "5875247" | "5881236" | "5930513" | "5966540" | "6016400" | "6023586" | "6044373" | "6047129" | "6131192" | "6151708" | "6167567" | "6205527").PN. OR ("6301708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:09
S36	7	S35 and registry	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:30
S37	894	717/174-178.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:30
S38	2	S37 and hash$1table and serializ$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:32
S39	126	hash$1table and serializ$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:32
S40	119	S39 and software	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:50
S41	96	S40 and install$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:54
S42	63	S41 and (install$5 with (software OR program OR application))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:59
S43	18	serializ$5 same hash$1table	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:11
S44	161	hash$1table and ((program OR software OR application) with install$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:12

S45	.41	S44 and (install$5 with (data OR file$1set OR propert$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:16
S46	985	(sav$3 with (install$5 OR setup) with (settings OR propert$3 OR conditions OR data OR file$1set))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:17
S47	4	S46 and hash$1table	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:18
S48	24	S46 and hash	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:18
S49	17	("5428782" | "5920867" | "5966540" | "6006035" | "6144960").PN. OR ("6269480"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:19
S50	7	("5761499" | "5966540" | "6006035" | "6128730" | "6269480" | "6332219" | "6446255").PN. OR ("6629316").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:19
S51	47	("5247683" | "5485601" | "5555416" | "5564053" | "5678042" | "5727205" | "5754858" | "5860012" | "5870611").PN. OR ("6006035").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:22
S52	14161	serializ$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:20
S53	1719	717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:20
S54	49	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:20
S55	6	S54 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:39
S56	585	(mask$3 with user with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:43

S57	1	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:42
S58	18	(mask$3 with password with input) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:43
S59	27	("20010027439" | "20020013788" | "20020032699" | "20020178062" | "5619635" | "5642522" | "5794259" | "5815657" | "5899980" | "5960411" | "6016484" | "6028938" | "6101482" | "6105008" | "6192380" | "6199079" | "6199762" | "6236972" | "6260024" | "6282522" | "6304915" | "6341353" | "6345256" | "6421693" | "6499041" | "6499042").PN. OR ("6662340").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:46
S60	14	S59 and password	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:51
S61	4543	password and *	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:52
S62	245	password with *	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:52
S63	2	S62 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:51
S64	21	S61 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:52
S65	269	password with mask$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:53
S66	1	S65 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:58
S67	35	mask$3 same sensitive same data same user same input	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:59
S68	35	mask$3 same sensitive same data same user same input$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:59

S69	15	(edit with mask) same (user with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:17
S70	1	(edit with mask) same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:23
S71	74	mask$3 with input with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:25
S72	38404	mask$3 with (property OR field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:25
S73	11251	S72 and input$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:26
S74	422	S73 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:26
S75	368	S74 and (user same (input$4 OR enter$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:26
S76	343	S75 and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:27
S77	13	S76 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:28
S78	306	password with mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:29

S79	4	password with edit$4 with mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:29
S80	73	(password with (edit$3 OR input$4) with (field OR box)) and mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:33
S81	0	(hid$3 with view with password) same user same input$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:34
S82	2106	(stor$3 same password same data same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:35
S83	176	S82 and mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:36
S84	24	S83 and mask$3 with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:39
S85	55	(password near2 enter$3) with (hid$4 OR mask$3 OR blank$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:01
S86	123	disabl$3 with password with stor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:01
S87	65	S86 and (user with input$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:05
S88	191	((input$4 OR enter$3) with password) same *	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:06

S89	201	((input$4 OR enter$3) with password) same mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:08
S90	142	(install$5 with (property OR data) with mask$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:28
S91	9	S90 and (software near2 install$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:07
S92	171	((input$4 OR enter$3) with password) same mask$3 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:16
S93	126	password with mask$3 with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S94	0	"not stor$3"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S95	0	"not stored"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S96	0	'not stored'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S97	0	"not" with stor$3 with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:29
S98	55	"not" with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:30

S99	2	S98 and mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:29
S100	1532	"without" with stor$3 with (password OR sensitive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:30
S101	12	("without" with stor$3 with (password OR sensitive)) same mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:31
S102	37	S100 and ("717".clas. OR "707". clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:33
S103	36	("without storing" OR "not storing") same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:55
S104	33	("without storing" OR "not storing") with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:56
S105	33	("without storing" OR "not storing") with (password OR (sensitive with data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:56
S106	613	("without" with (sav$3 OR stor$3) with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:41
S107	7915	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:40
S108	5	S106 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:40

S10 9	2	("without saving" near2 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:42
S11 0	18	("without storing" near2 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:48
S11 1	25	("4779224" | "4970504" | "5222231" | "5323146" | "5375243" | "5430867" | "5475839").PN. OR ("5682475").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/11 13:45
S11 2	15	("without storing" with user with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:53
S11 3	62363	(filter$3 OR mask$3) same (data OR propert$3) same (stor$3 OR sav$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:57
S11 4	269	S113 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:57
S11 5	110	S114 and (install$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:57
S11 6	59	S115 and (user with input$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:00
S11 7	2011	(installation near2 (property OR parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:01
S11 8	4	S117 and ((filter$3 OR mask$3) with (propert$3 OR parameter) with stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:03

S11 9	22	S117 and ((filter$3 OR mask$3 OR remov$3 OR delet$3) with (propert$3 OR parameter) with stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 12:54
S12 0	18	S119 not S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:57
S12 1	3019	(user same select$3 same (options OR properties) same (sav$3 OR stor$3) same (file OR dataset OR fileset OR data$1file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:08
S12 2	137	S121 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:09
S12 3	63	S122 and install$5 and (user with input$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:09
S12 4	261	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:27
S12 5	0	717/174-178.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 16:18
S12 6	0	717/174.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:29
S12 7	354	717/174.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:29
S12 8	23	S127 and (stor$3 with install$5 with (propert$3 OR parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:33

S12 9	0	(installation near operation) same record$3 same exclud$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:34
S13 0	166	(installation near operation) same record$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:34
S13 1	9	S130 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:43
S13 2	41	installation with property with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:42
S13 3	683	(install$5 adj data) with (stor$3 OR sav$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:43
S13 4	29	S133 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:45
S13 5	155	installation adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:45
S13 6	10	S135 and (without with stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:46